

10/680,723

Trying 3106016892...Open

Welcome to STN International! Enter x:x

LOGINID:sssptal611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	Sep 17	IMSworld Pharmaceutical Company Directory name change to PHARMASEARCH
NEWS	3	Oct 09	Korean abstracts now included in Derwent World Patents Index
NEWS	4	Oct 09	Number of Derwent World Patents Index updates increased
NEWS	5	Oct 15	Calculated properties now in the REGISTRY/ZREGISTRY File
NEWS	6	Oct 22	Over 1 million reactions added to CASREACT
NEWS	7	Oct 22	DGENE GETSIM has been improved
NEWS	8	Oct 29	AAASD no longer available
NEWS	9	Nov 19	New Search Capabilities USPATFULL and USPAT2
NEWS	10	Nov 19	TOXCENTER(SM) - new toxicology file now available on STN
NEWS	11	Nov 29	COPPERLIT now available on STN
NEWS	12	Nov 29	DWPI revisions to NTIS and US Provisional Numbers
NEWS	13	Nov 30	Files VETU and VETB to have open access
NEWS	14	Dec 10	WPINDEX/WPIDS/WPIX New and Revised Manual Codes for 2002
NEWS	15	Dec 10	DGENE BLAST Homology Search
NEWS	16	Dec 17	WELDASEARCH now available on STN
NEWS	17	Dec 17	STANDARDS now available on STN
NEWS	18	Dec 17	New fields for DPCI
NEWS	19	Dec 19	CAS Roles modified
NEWS	20	Dec 19	1907-1946 data and page images added to CA and CAplus
NEWS	21	Jan 25	BLAST(R) searching in REGISTRY available in STN on the Web
NEWS	22	Jan 25	Searching with the P indicator for Preparations
NEWS	23	Jan 29	FSTA has been reloaded and moves to weekly updates
NEWS	24	Feb 01	DKILIT now produced by FIZ Karlsruhe and has a new update frequency
NEWS	25	Feb 19	Access via Tymnet and SprintNet Eliminated Effective 3/31/02
NEWS	26	Mar 08	Gene Names now available in BIOSIS
NEWS	27	Mar 22	TOXLIT no longer available
NEWS	28	Mar 22	TRCTHERMO no longer available
NEWS EXPRESS			February 1 CURRENT WINDOWS VERSION IS V6.0d, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may

10/680,723

result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 14:55:37 ON 22 MAR 2002

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.15

0.15

FILE 'REGISTRY' ENTERED AT 14:56:00 ON 22 MAR 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 20 MAR 2002 HIGHEST RN 402467-99-6

DICTIONARY FILE UPDATES: 20 MAR 2002 HIGHEST RN 402467-99-6

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES  
for more information. See STNote 27, Searching Properties in the CAS  
Registry File, for complete details:

<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

The P indicator for Preparations was not generated for all of the  
CAS Registry Numbers that were added to the H/Z/CA/CAplus files between  
12/27/01 and 1/23/02. Use of the P indicator in online and SDI searches  
during this period, either directly appended to a CAS Registry Number  
or by qualifying an L-number with /P, may have yielded incomplete results.  
As of 1/23/02, the situation has been resolved. Also, note that searches  
conducted using the PREP role indicator were not affected.

Customers running searches and/or SDIs in the H/Z/CA/CAplus files  
incorporating CAS Registry Numbers with the P indicator between 12/27/01  
and 1/23/02, are encouraged to re-run these strategies. Contact the  
CAS Help Desk at 1-800-848-6533 in North America or 1-614-447-3698,  
worldwide, or send an e-mail to [help@cas.org](mailto:help@cas.org) for further assistance or to  
receive a credit for any duplicate searches.

=>


Uploading 09716951.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 H,OH

G2 [01],[02],[03],[04]

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 14:56:36 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 414 TO ITERATE

100.0% PROCESSED 414 ITERATIONS

50 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.03

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 7060 TO 9500

PROJECTED ANSWERS: 849 TO 1831


L2 50 SEA SSS SAM L1

=> d scan


10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, 2-[[[3-amino-5-[[[(2-chlorophenyl)methyl]amino]carbonyl]phenyl]thio]-N-[[4-(aminoiminomethyl)phenyl]methyl]-4-chloro-5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo- (9Cl)  
MF C36 H33 Cl3 N8 O3 S

PAGE 1-A




PAGE 2-A



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49

```
L2 50 ANSWERS   REGISTRY   COPYRIGHT 2002 ACS
IN Carbamic acid, [1-[2-[[4-[[2-(ethylamino)-2-oxoethyl]amino]-3,3-difluoro-
   2,4-dioxo-1-(phenylmethyl)butyl]amino]-2-oxoethyl]-1,6-dihydro-2-(3-
   methylphenyl)-6-oxo-5-pyrimidinyl]-, phenylmethyl ester (9CI)
MF C36 H36 F2 N6 O7
```




Page 5

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Carbamic acid, [1,6-dihydro-2-(2-methylphenyl)-6-oxo-1-[2-oxo-2-[[3,3,3-trifluoro-2-oxo-1-(phenylmethyl)propyl]amino]ethyl]-5-pyrimidinyl]-, phenylmethyl ester (9CI)

MF C31 H27 F3 N4 O5




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-amino-2-thienyl)-4-chloro-6-oxo-5-[(phenylmethyl)amino]- (9CI)

MF C25 H24 Cl N7 O2 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Carbamic acid, [[4-[[[(5-amino-6-oxo-2-phenyl-1(6H)-pyrimidinyl)acetyl]amino]-6,6,6-trifluoro-5-oxohexyl]carbonimidoyl]bis-, bis(1,1-dimethylethyl) ester (9CI)

MF C29 H38 F3 N7 O7



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 5-amino-N-[3,3-difluoro-2,4-dioxo-1-(phenylmethyl)-4-[(phenylmethyl)amino]butyl]-2-(4-fluorophenyl)-6-oxo-(9CI)

MF C30 H26 F3 N5 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-5-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-4-chloro-6-oxo-2-(phenylthio)-(9CI)

MF C28 H27 Cl N8 O2 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Carbamic acid, [1-[2-[[4-[(aminoiminomethyl)amino]-1-(trifluoroacetyl)butyl]amino]-2-oxoethyl]-1,6-dihydro-2-methyl-6-oxo-5-pyrimidinyl]-, phenylmethyl ester, monohydrochloride (9CI)

MF C22 H26 F3 N7 O5 . Cl H




● HCl

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-5-(cyclobutylamino)-2-(3,5-diaminophenyl)-6-oxo- (9CI)

MF C24 H28 N8 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo-2-(phenylthio)- (9CI)

MF C28 H27 Cl N6 O2 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN Benzoic acid, 2,6-dichloro-, (3S)-4-carboxy-3-[[[2-(4-fluorophenyl)-5-[(2-furanylcarbonyl)amino]-6-oxo-1(6H)-pyrimidinyl]acetyl]amino]-2-oxobutyl ester (9CI)  
MF C29 H21 Cl2 F N4 O9


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, 2-[3-amino-5-[[[(2-chlorophenyl)methyl]amino]carbonyl]phenyl]-N-[[4-(aminoiminomethyl)phenyl]methyl]-5-(cyclobutylamino)-6-oxo- (9CI)  
MF C32 H33 Cl N8 O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Benzoic acid, 3-amino-5-[[1-[2-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-2-oxoethyl]-4-chloro-5-(2-ethyl-2-methylhydrazino)-1,6-dihydro-6-oxo-2-pyrimidinyl]oxy]- (9CI)

MF C24 H27 Cl N8 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 5-amino-2-(4-fluorophenyl)-N-[(1S)-2-methyl-1-  
[(5-methyl-1,3,4-oxadiazol-2-yl)carbonyl]propyl]-6-oxo- (9CI)

MF C20 H21 F N6 O4


Absolute stereochemistry. Rotation (-).



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[4-[(aminoiminomethyl)amino]-1-(2-thiazolylcarbonyl)butyl]-2-[[3-amino-5-[[[(phenylmethyl)amino]carbonyl]phenyl]thio]-5-[(1-methylethyl)amino]-6-oxo- (9CI)  
MF C32 H38 N10 O4 S2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 5-amino-2-(4-fluorophenyl)-N-[2-(2-oxazolyl)-2-oxo-1-(phenylmethyl)ethyl]-6-oxo- (9CI)

MF C24 H20 F N5 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 5-amino-N-[2-(5-amino-2-benzoxazolyl)-2-oxo-1-(phenylmethyl)ethyl]-2-(4-fluorophenyl)-6-oxo- (9CI)

MF C28 H23 F N6 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-[[3-amino-5-[[[2-(trifluoromethyl)phenyl]methyl]amino]carbonyl]phenyl]thio]-5-(cyclobutylamino)-6-oxo- (9CI)


MF C33 H33 F3 N8 O3 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, 5-amino-N-[3,3-difluoro-2,4-dioxo-1-(phenylmethyl)-4-[(phenylmethyl)amino]butyl]-6-oxo-2-(4-pyridinyl)- (9CI)  
MF C29 H26 F2 N6 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Carbamic acid, [2-(4-fluorophenyl)-1,6-dihydro-1-[2-[[2-(5-nitro-2-benzoxazolyl)-2-oxo-1-(phenylmethyl)ethyl]amino]-2-oxoethyl]-6-oxo-5-pyrimidinyl]-, phenylmethyl ester (9CI)

MF C36 H27 F N6 O8




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 2-[3-amino-5-[[[(2-chlorophenyl)methyl]amino]sulfonyl]phenoxy]-N-[[4-(aminoiminomethyl)phenyl]methyl]-4-chloro-5-(cyclobutylamino)-6-oxo- (9CI)

MF C31 H32 C12 N8 O5 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*



10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, 5-amino-N-[4-amino-3,3-difluoro-2,4-dioxo-1-(phenylmethyl)butyl]-2-(3-methylphenyl)-6-oxo- (9CI)  
MF C24 H23 F2 N5 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 2-Pentulose, 1,4,5-trideoxy-4-[[[5-[[[1,1-dimethylethoxy)carbonyl]amino]-6-oxo-2-phenyl-1(6H)-pyrimidinyl]acetyl]amino]-5-(3-methylphenyl)- (9CI)


MF C29 H34 N4 O6



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenoxy)-4-chloro-5-(cyclopentylamino)-6-oxo- (9CI)  
MF C25 H28 Cl N7 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN Carbamic acid, [imino[4-[[[6-oxo-2-phenyl-5-[(2-phenylethyl)amino]-1(6H)-  
pyrimidinyl]acetyl]amino]methyl]phenyl]methyl]-, phenylmethyl ester (9CI)  
MF C36 H34 N6 O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN Carbamic acid, [1-[2-[[1-[(3-fluorophenyl)methyl]-2-hydroxy-7-(4-methyl-1-piperazinyl)-3,7-dioxoheptyl]amino]-2-oxoethyl]-1,6-dihydro-6-oxo-2-phenyl-5-pyrimidinyl]-, 1,1-dimethylethyl ester (9CI)  
MF C36 H45 F N6 O7




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)-3-fluorophenyl]methyl]-  
2-(3-aminophenoxy)-4-chloro-5-(cyclobutylamino)-6-oxo- (9CI)


MF C24 H25 Cl F N7 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)-3-fluorophenyl]methyl]-  
2-(3-aminophenyl)-5-(cyclobutylamino)-6-oxo- (9CI)  
MF C24 H26 F N7 O2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

```
L2 50 ANSWERS   REGISTRY   COPYRIGHT 2002 ACS
IN  Glycine, N-[2,2-difluoro-4-[[[2-(4-fluorophenyl)-6-oxo-5-
    [[(phenylmethoxy)carbonyl]amino]-1(6H)-pyrimidinyl]acetyl]amino]-1,3-dioxo-
MF  5-phenylpentyl]-, methyl ester (9CI)
    C34 H30 F3 N5 O8
```




Page 32



10/680,723


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN Benzoic acid, 3-amino-5-[[1-[2-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-2-oxoethyl]-1,6-dihydro-6-oxo-5-(2-propynylamino)-2-pyrimidinyl]thio]-  
(9CI)  
MF C24 H23 N7 O4 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-4-chloro-  
5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo-2-phenyl- (9CI)  
MF C28 H26 Cl2 N6 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Carbamic acid, [1,6-dihydro-2-methyl-6-oxo-1-[2-oxo-2-[[3,3,3-trifluoro-2-hydroxy-1-(phenylmethyl)propyl]amino]ethyl]-5-pyrimidinyl]-, phenylmethyl ester (9CI)


MF C25 H25 F3 N4 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN Benzoic acid, 3-amino-5-[[1-[2-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-  
2-oxoethyl]-1,6-dihydro-5-[(1-methylpropyl)amino]-6-oxo-2-  
pyrimidinyl]thio]- (9CI)  
MF C25 H29 N7 O4 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenyl)-4-chloro-5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo- (9Cl)  
MF C28 H27 Cl2 N7 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Carbamic acid, [1,6-dihydro-2-(4-methylphenyl)-6-oxo-1-[2-oxo-2-[[3,3,3-trifluoro-2-hydroxy-1-(phenylmethyl)propyl]amino]ethyl]-5-pyrimidinyl]-, phenylmethyl ester (9CI)


MF C31 H29 F3 N4 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 2-Thiophenecarboxylic acid, 4-amino-5-[1-[2-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-2-oxoethyl]-1,6-dihydro-5-[(2-methoxyethyl)amino]-6-oxo-2-pyrimidinyl]- (9CI)  
MF C22 H25 N7 O5 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenyl)-5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo- (9CI)

MF C28 H28 Cl N7 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*



10/680,723


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetic acid, 2-(2-methylphenyl)-6-oxo-5-  
[[ (phenylmethoxy) carbonyl] amino]- (9CI)  
MF C21 H19 N3 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723


L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenoxy)-5-[(2-methoxy-1-methylethyl)amino]-6-oxo- (9CI)  
MF C24 H29 N7 O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-5-  
[(methoxyacetyl)amino]-6-oxo-2-phenyl- (9CI)  
MF C23 H24 N6 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Butanoic acid, 4-[[1,6-dihydro-2-(3-methylphenyl)-6-oxo-1-[2-oxo-2-[[3,3,3-trifluoro-2-oxo-1-(phenylmethyl)propyl]amino]ethyl]-5-pyrimidinyl]amino]-4-oxo-, methyl ester (9CI)

MF C28 H27 F3 N4 O6




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)-2-fluorophenyl]methyl]-  
2-(3-aminophenoxy)-6-oxo-5-(propylamino)- (9CI)

MF C23 H26 F N7 O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-6-oxo-2-phenyl-5-[(2-phenylethyl)amino]-, dihydrochloride (9CI)

MF C28 H28 N6 O2 . 2 Cl H




● 2 HCl

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Benzoic acid, 3-[[[[[1,6-dihydro-6-oxo-1-[2-oxo-2-[[3,3,3-trifluoro-2-oxo-1-(phenylmethyl)propyl]amino]ethyl]-5-pyrimidinyl]amino]carbonyl]oxy]methyl]-, methyl ester (9CI)


MF C26 H23 F3 N4 O7



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenoxy)-5-[(1-methylpropyl)amino]-6-oxo- (9CI)  
MF C24 H29 N7 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 5-amino-N-[(1S)-1-[[5-[1-(1,3-benzodioxol-5-yl)-1-methylethyl]-1,3,4-oxadiazol-2-yl]carbonyl]-2-methylpropyl]-6-oxo-2-phenyl- (9CI)

MF C29 H30 N6 O6

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 6-oxo-2-phenyl-5-[(phenylacetyl)amino]-N-[3,3,3-trifluoro-2-oxo-1-(phenylmethyl)propyl]- (9CI)

MF C30 H25 F3 N4 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenoxy)-6-oxo-5-[(2,2,2-trifluoroethyl)amino]- (9CI)

MF C22 H22 F3 N7 O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Carbamic acid, [1-[2-[[4-[[2-(diethylamino)-2-oxoethyl]amino]-3,3-difluoro-2,4-dioxo-1-(phenylmethyl)butyl]amino]-2-oxoethyl]-1,6-dihydro-2-(4-nitrophenyl)-6-oxo-5-pyrimidinyl]-, phenylmethyl ester (9CI)

MF C37 H37 F2 N7 O9




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 50 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 5-amino-2-(3,5-diaminophenyl)-6-oxo-N-[3,3,3-trifluoro-2-oxo-1-(phenylmethyl)propyl]- (9CI)

MF C22 H21 F3 N6 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED

10/680,723

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.96

1.11

STN INTERNATIONAL LOGOFF AT 14:57:39 ON 22 MAR 2002

Connection closed by remote host

Trying 3106016892...Open

Welcome to STN International! Enter x:x

LOGINID:sssptal61lbxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 Sep 17 IMSworld Pharmaceutical Company Directory name change  
to PHARMASEARCH  
NEWS 3 Oct 09 Korean abstracts now included in Derwent World Patents  
Index  
NEWS 4 Oct 09 Number of Derwent World Patents Index updates increased  
NEWS 5 Oct 15 Calculated properties now in the REGISTRY/ZREGISTRY File  
NEWS 6 Oct 22 Over 1 million reactions added to CASREACT  
NEWS 7 Oct 22 DGENE GETSIM has been improved  
NEWS 8 Oct 29 AAASD no longer available  
NEWS 9 Nov 19 New Search Capabilities USPATFULL and USPAT2  
NEWS 10 Nov 19 TOXCENTER(SM) - new toxicology file now available on STN  
NEWS 11 Nov 29 COPPERLIT now available on STN  
NEWS 12 Nov 29 DWPI revisions to NTIS and US Provisional Numbers  
NEWS 13 Nov 30 Files VETU and VETB to have open access  
NEWS 14 Dec 10 WPINDEX/WPIDS/WPIX New and Revised Manual Codes for 2002  
NEWS 15 Dec 10 DGENE BLAST Homology Search  
NEWS 16 Dec 17 WELDASEARCH now available on STN  
NEWS 17 Dec 17 STANDARDS now available on STN  
NEWS 18 Dec 17 New fields for DPCI  
NEWS 19 Dec 19 CAS Roles modified  
NEWS 20 Dec 19 1907-1946 data and page images added to CA and CPlus  
NEWS 21 Jan 25 BLAST(R) searching in REGISTRY available in STN on the Web  
NEWS 22 Jan 25 Searching with the P indicator for Preparations  
NEWS 23 Jan 29 FSTA has been reloaded and moves to weekly updates  
NEWS 24 Feb 01 DKILIT now produced by FIZ Karlsruhe and has a new update  
frequency  
NEWS 25 Feb 19 Access via Tymnet and SprintNet Eliminated Effective 3/31/02  
NEWS 26 Mar 08 Gene Names now available in BIOSIS  
NEWS 27 Mar 22 TOXLIT no longer available  
NEWS 28 Mar 22 TRCTHERMO no longer available  
  
NEWS EXPRESS February 1 CURRENT WINDOWS VERSION IS V6.0d,  
CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),  
AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items

10/680,723

NEWS PHONE      Direct Dial and Telecommunication Network Access to STN  
NEWS WWW        CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 16:48:04 ON 22 MAR 2002

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.30

0.30

FILE 'REGISTRY' ENTERED AT 16:48:50 ON 22 MAR 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 20 MAR 2002 HIGHEST RN 402467-99-6

DICTIONARY FILE UPDATES: 20 MAR 2002 HIGHEST RN 402467-99-6

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:

<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

The P indicator for Preparations was not generated for all of the CAS Registry Numbers that were added to the H/Z/CA/CAplus files between 12/27/01 and 1/23/02. Use of the P indicator in online and SDI searches during this period, either directly appended to a CAS Registry Number or by qualifying an L-number with /P, may have yielded incomplete results. As of 1/23/02, the situation has been resolved. Also, note that searches conducted using the PREP role indicator were not affected.

Customers running searches and/or SDIs in the H/Z/CA/CAplus files incorporating CAS Registry Numbers with the P indicator between 12/27/01 and 1/23/02, are encouraged to re-run these strategies. Contact the CAS Help Desk at 1-800-848-6533 in North America or 1-614-447-3698, worldwide, or send an e-mail to [help@cas.org](mailto:help@cas.org) for further assistance or to receive a credit for any duplicate searches.

10/680,723

=>


Uploading 097169511.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 16:50:25 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 63 TO ITERATE

100.0% PROCESSED 63 ITERATIONS

25 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 784 TO 1736

PROJECTED ANSWERS: 200 TO 800


L2 25 SEA SSS SAM L1

=> d scan



10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenyl)-5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo- (9CI)  
MF C28 H28 Cl N7 O2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):24

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-4-chloro-  
5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo-2-phenyl- (9CI)

MF C28 H26 Cl2 N6 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Carbamic acid, [imino[4-[[[6-oxo-2-phenyl-5-[(2-phenylethyl)amino]-1(6H)-pyrimidinyl]acetyl]amino]methyl]phenyl]methyl]-, phenylmethyl ester (9CI)

MF C36 H34 N6 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo-2-(phenylthio)- (9CI)


MF C28 H27 Cl N6 O2 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-  
amino-2-thienyl)-4-chloro-6-oxo-5-[(phenylmethyl)amino]- (9CI)  
MF C25 H24 Cl N7 O2 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenoxy)-6-oxo-5-[(2,2,2-trifluoroethyl)amino]- (9CI)

MF C22 H22 F3 N7 O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)-2-fluorophenyl]methyl]-  
2-(3-aminophenoxy)-6-oxo-5-(propylamino)- (9CI)


MF C23 H26 F N7 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 2-Thiophenecarboxylic acid, 4-amino-5-[1-[2-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-2-oxoethyl]-1,6-dihydro-5-[(2-methoxyethyl)amino]-6-oxo-2-pyrimidinyl]- (9CI)  
MF C22 H25 N7 O5 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Benzoic acid, 3-amino-5-[[1-[2-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-2-oxoethyl]-1,6-dihydro-6-oxo-5-(2-propynylamino)-2-pyrimidinyl]thio]-  
(9CI)


MF C24 H23 N7 O4 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenoxy)-4-chloro-5-(cyclopentylamino)-6-oxo- (9CI)  
MF C25 H28 Cl N7 O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-[[3-amino-5-[[[2-(trifluoromethyl)phenyl]methyl]amino]carbonyl]phenyl]thio]-5-(cyclobutylamino)-6-oxo- (9CI)

MF C33 H33 F3 N8 O3 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-5-(cyclobutylamino)-2-(3,5-diaminophenyl)-6-oxo- (9CI)


MF C24 H28 N8 O2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723


L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-5-  
[(methoxyacetyl)amino]-6-oxo-2-phenyl- (9CI)  
MF C23 H24 N6 O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenyl)-4-chloro-5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo- (9CI)  
MF C28 H27 Cl2 N7 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)-3-fluorophenyl]methyl]-  
2-(3-aminophenyl)-5-(cyclobutylamino)-6-oxo- (9CI)

MF C24 H26 F N7 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Benzoic acid, 3-amino-5-[[1-[2-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-2-oxoethyl]-4-chloro-5-(2-ethyl-2-methylhydrazino)-1,6-dihydro-6-oxo-2-pyrimidinyl]oxy]- (9CI)

MF C24 H27 Cl N8 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-5-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-4-chloro-6-oxo-2-(phenylthio)-  
(9CI)

MF C28 H27 Cl N8 O2 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, 2-[[[3-amino-5-[[[(2-chlorophenyl)methyl]amino]carbonyl]phenyl]thio]-N-[[4-(aminoiminomethyl)phenyl]methyl]-4-chloro-5-[[2-(3-chlorophenyl)ethyl]amino]-6-oxo- (9CI)  
MF C36 H33 Cl3 N8 O3 S

PAGE 1-A




PAGE 2-A



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723


L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenoxy)-5-[(1-methylpropyl)amino]-6-oxo- (9CI)  
MF C24 H29 N7 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS  
IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-2-(3-aminophenoxy)-5-[(2-methoxy-1-methylethyl)amino]-6-oxo- (9CI)  
MF C24 H29 N7 O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN Benzoic acid, 3-amino-5-[[1-[2-[[[4-(aminoiminomethyl)phenyl]methyl]amino]-2-oxoethyl]-1,6-dihydro-5-[(1-methylpropyl)amino]-6-oxo-2-pyrimidinyl]thio]- (9CI)

MF C25 H29 N7 O4 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)-3-fluorophenyl]methyl]-  
2-(3-aminophenoxy)-4-chloro-5-(cyclobutylamino)-6-oxo- (9CI)

MF C24 H25 Cl F N7 O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 2-[3-amino-5-[[[(2-chlorophenyl)methyl]amino]sulfonyl]phenoxy]-N-[[4-(aminoiminomethyl)phenyl]methyl]-4-chloro-5-(cyclobutylamino)-6-oxo- (9CI)

MF C31 H32 Cl2 N8 O5 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, 2-[3-amino-5-[[[(2-chlorophenyl)methyl]amino]carbonyl]phenyl]-N-[[4-(aminoiminomethyl)phenyl]methyl]-5-(cyclobutylamino)-6-oxo- (9CI)

MF C32 H33 Cl N8 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




10/680,723

L2 25 ANSWERS REGISTRY COPYRIGHT 2002 ACS

IN 1(6H)-Pyrimidineacetamide, N-[[4-(aminoiminomethyl)phenyl]methyl]-6-oxo-2-phenyl-5-[(2-phenylethyl)amino]-, dihydrochloride (9CI)

MF C28 H28 N6 O2 . 2 Cl H



● 2 HCl

ALL ANSWERS HAVE BEEN SCANNED

10/680,723

=> s l1 sss ful

FULL SEARCH INITIATED 16:51:12 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 1074 TO ITERATE

100.0% PROCESSED 1074 ITERATIONS  
SEARCH TIME: 00.00.01

404 ANSWERS

L3 404 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
141.18	141.48

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 16:51:19 ON 22 MAR 2002  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Mar 2002 VOL 136 ISS 13  
FILE LAST UPDATED: 21 Mar 2002 (20020321/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

The P indicator for Preparations was not generated for all of the CAS Registry Numbers that were added to the CAS files between 12/27/01 and 1/23/02. As of 1/23/02, the situation has been resolved. Searches and/or SDIs in the H/Z/CA/CAPLUS files incorporating CAS Registry Numbers with the P indicator executed between 12/27/01 and 1/23/02 may be incomplete. See the NEWS message on this topic for more information.

=> s l3

L4 3 L3

=> d l4 1-3 bib

10/680,723

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2002 ACS  
AN 2001:851128 CAPLUS  
DN 136:5999  
TI Preparation of (hetero)arylpyrimidinones as coagulation cascade serine  
protease inhibitors  
IN South, Michael S.; Hamme, Ashton T., II; Neumann, William L.; Jones, Darin  
E.; Ruppel, Melvin L.  
PA Pharmacia Corporation, USA  
SO PCT Int. Appl., 423 pp.  
CODEN: PIXXD2  
DT Patent  
LA English  
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	---	-----	-----	-----
PI	WO 2001087851	A1	20011122	WO 2000-US31901	20001120
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR,				
	CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,				
	ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,				
	LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE,				
	SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,				
	ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,				
	DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,				
	BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
PRAI	US 2000-574739	A	20000518		
OS	MARPAT 136:5999				
RE.CNT	18				

THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2002 ACS  
AN 2000:824231 CAPLUS  
DN 134:4942  
TI Preparation of arylpyrimidinones as coagulation cascade serine protease  
inhibitors  
IN South, Michael S.; Hamme, Ashton T., II; Neumann, William; Jones, Darin  
E.; Rueppel, Melvin L.  
PA Monsanto Company, USA  
SO PCT Int. Appl., 288 pp.  
CODEN: PIXXD2  
DT Patent  
LA English  
FAN.CNT 1

Page 84

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2002 ACS  
 AN 1999:354482 CAPLUS  
 DN 131:31949  
 TI Preparation of 5-amino-1,6-dihydro-6-oxopyrimidinylacetamide and  
 3-amino-1,2-dihydro-2-oxo-1-pyridylacetamide derivatives and tryptase  
 inhibitors comprising the heterocyclic amide compounds  
 IN Takeuchi, Masahiro; Sakashita, Hiroshi; Ono, Shinichiro; Kuwahara,  
 Shigeki; Naito, Koji; Naito, Youichiro; Imagawa, Takashi  
 PA Yoshitomi Pharmaceutical Industries, Ltd., Japan  
 SO PCT Int. Appl., 64 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA Japanese  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9926925	A1	19990603	WO 1998-JP5280	19981124
	W:				
	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE,				
	DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE,				
	KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX,				
	NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT,				
	UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW:				
	GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES,				
	FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BE, BJ, CF, CG, CI,				
	CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	AU 9911762	A1	19990615	AU 1999-11762	19981124
PRAI	JP 1997-325035		19971126		
	WO 1998-JP5280		19981124		

OS MARPAT 131:31949

RE.CNT 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/680,723

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

3.20

144.68

STN INTERNATIONAL LOGOFF AT 16:51:53 ON 22 MAR 2002